#$##########################ÿ□#ÿÿd#########d#########9#Õý##Ùù□ü%
¦### ##########ÿ□#ÿÿd#########□#########c### Thyroid anatomy Approach to thyroid disease Diagnostics Cases When to consult Endocrinologist#

```
#(###########     #########

####ÿ□#ÿÿd#########d#########9#Æý###ü□üÉ#§#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d########
#J### Normal Diffusely enlarged Atrophic Single nodule Multinodular Absent
```

```
#
##########################ÿ□#ÿÿd#########d#########9#□þ##OüFýñ#9###$##########ÿ□
#ÿÿd#########□#########G###Structure   Physical Exam     Ultrasound    MRI
Technetium scan#
```

```
# ##########################ÿ#ÿÿd#########d#########9##ÿ##$úaýU
      a#ÿÿ####ÿÿ#####ÿ#ÿÿd#########d#########?###Function    Serum assays -
TSH, Free T4    Radioiodine Uptake#
```

##########################ÿ□#ÿÿd#########d#########9#□ý##øÀü□
(#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########Ø###Pt is a 25 yo female who presents to GIMC with complaints of palpitations and tremor for approximately six weeks.
Remarkable PE findings: Pt appears nervous HR 110 Nontender, diffusely enlarged thyroid (goiter)

#
##########################ÿ#ÿÿd#########d#########9#{ý##Ëø±ü####ÿÿ####ÿÿ#####ÿ
#ÿÿd#########d#############Definition - refers to clinical syndrome of hypermetabolism resulting from increased serum concentration of T4 and/or T3, regardless of cause. Not synonymous with hyperthyroidism Hyperthyroidism - increased thyroid hormone biosynthesis and secretion by the thyroid gland#

##########################ÿ□#ÿÿd#########d#########9#□ü##Ëø□û□
À#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########³###Symptoms - nervousness, fatigue, weakness, increased perspiration, heat intolerance, tremor,hyperactivity, palpitation, change in appetite, weightchange, menstrual irregularitiesSigns - hyperactivity, tachycardia, atrial arrhythmia,systolic hypertension, stare, eyelid retraction, tremor,hyperreflexia, muscle weakness*Older patients - have fewer signs and symptomsof sympathetic activation and more cardiovascular dysfunction.#

```
############################ÿ▯#ÿÿd#########d#########9#▯ý##Æø³üÍ
L### ##########ÿ▯#ÿÿd#########d#########x###Lab Data  TSH usually low Free T4
elevated Thyroid antibodies (may be pos or neg)Radioiodine UptakeTechnetium Scan
```

```
###ö÷@üþ÷Jüú÷Hüú÷Jüû÷Hüý÷Eüý÷Cüþ÷@üù÷@üù÷Büø÷Düø÷Eü÷÷Güö÷Hü####ö÷Hüú÷[ü÷÷Vüú÷Yüú
÷Hüö÷Hüö÷Yüù÷[ü##########D#####9#!ý##øøÇû<
□##############ÿ□#ÿÿd#########d#########$###Goiter with thyrotoxicosis Grave□s
Disease - autoimmune disorder  - TSH receptor antibodies stimulate thyroid  -
Most common cause of thyrotoxicosis,     representing 60-90% of cases  - May
present with goiter, ophthalmopathy,     myxedema  - Peak age incidence 20-49yrs
- Women>Men
```

#########################ÿ□#ÿÿd##########d#########9#! ý##Û÷öû##n#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########□#########a### Subacute Thyroiditis - genetic (HLA-B35) predisposition usually occurring after viral illness - Thyroid injury from anti TPO antibodies - Release of stored thyroid hormone results in transient thyrotoxicosis - Gland is usually tender - ESR may exceed 100 - Thyrotoxic stage may last months followed by months of hypothyroidism

```
############################ÿ□#ÿÿd#########d#########9##ÿ##□øGýþ
¹#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########y###Differentiate using Radioiodine
Uptake Counts elevated in Grave□s dz (40-70%) Counts low in Subacute thyroiditis
(<10%)#
```

#$##########################ÿ□#ÿÿd#########d#########9#!
ý##2û±ûù#3#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########]### Beta blockers Antithyroid
drugs - PTU - Methimazole Radioactive Iodine (131I) Surgery#

##########################ÿ□#ÿÿd#########d#########9#□ü##øÁû□
C#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########ë###Pt is 62 yo female with pmhx pertinent for esophageal CA s/p XRT who complains of increasing fatigue, frequent confusion and weight gain.Remarkable PE findings: Pt spoke and moved slowly HR 50 Thyroid not palpable Hyporeflexia#

#
##########################ÿ□#ÿÿd#########d#########9#@ü##Dø□ûm#□##############ÿ□
#ÿÿd#########Z#########z###Definition - disorder of the thyroid gland causing decreased thyroid hormone production andsecretion. Most common disorder of thyroid function Worldwide - iodine deficiency is most common   cause Iodine replete areas - chronic autoimmune   thyroiditis is most common cause May be transient May be associated with elevated serum   cholesterol,CPK, AST and LDH

##########################ÿ□#ÿÿd#########d#########9#?ý##¨øuü¶
Ú#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########í###Definition - decreased thyroidal stimulation byTSH. Also referred to as central or hypothyrotropic hypothyroidism Caused by either pituitary or hypothalamic disease Very uncommon TSH is usually low or inappropriately normal#

##########################ÿ□#ÿÿd#########d#########9#©ü##□øßûÁ
ï#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########è###Symptoms - fatigue, lethargy, mental impair-ment, depression, cold intolerance, hoarseness, dryskin, decreased perspiration, weight gain, decreased appetite, constipation, menstrual irregularities, arthralgias, parasthesiasSigns - slow movements, slow speech, hoarseness,bradycardia, dry skin, non-pitting edema, hyporeflexia,delayed relaxation of reflexes* Older patients - tend to have fewer signs and symptoms of hypothyroidism and those they have tendto be less specific.

```
############################ÿ□#ÿÿd#########d#########9#\þ##$úUüé
      W#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########f###               Lab Data TSH
usually elevated Free T4 reduced Thyroid antibodies (may be pos or neg)
```

```
# ##########################ÿ□#ÿÿd#########d#########9#Öü##-
øÏû##ó#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#############
```

Atrophic gland with primary hypothyroidism Radiation therapy - results in destruction of thyroid tissue. Chronic autoimmune thyroiditis - may be atrophic or goitrous. TSH receptor-blocking antibody positive. Differentiation based on pt history and antibody results.

#$##########################ÿ□#ÿÿd#########d#########9#□ý##Dø#ü/#□#ÿÿ####ÿÿ#####
ÿ□#ÿÿd#########d#########□###Primary Hypothyroidism Levothyroxine (LT4, Synthroid)Secondary Hypothyroidism (Central) Directed at source Glucocorticoids followed by levothyroxine#

```
# ###########
#########
####ÿ□#ÿÿd#########d#########9#¸ü##¼øÒû!
#kÿÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########B###Pt is 42 yo male who noticed a
□lump□ in his neck while shaving.
```

#B#########B#####
###########B##############ÿ□#ÿÿd#########d#######'####ÿ□#ÿÿd#########d##########
##ÿ□#ÿÿd#########d#########9#¤###4ùÚ#1
##ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########□###Remarkable PE findings: WDWN white male in NAD Vital signs WNL Palpable, firm, nontender 3 cm nodule left upper lobe of thyroid gland#

#########################ÿ#ÿÿd#########d#########9##ÿ##Dø_þ? #¦#############ÿ#ÿÿd#########_#########-### In the US, lifetime risk for developing a nodule   is 5-10% Studies show 50% of people at autopsy have either single or multiple nodules Critical issue is to determine whether benign or   malignant 5-10% of clinically detectable hypofunctioning   (cold) nodules will be malignant#

###ö÷@üþ÷Jüú÷Hüú÷Jüû÷Hüý÷Eüý÷Cüþ÷@üù÷@üù÷Büø÷Düø÷Eü÷÷Güö÷Hü####ö÷Hüú÷[ü÷÷Vüú÷Yüú÷Hüö÷Hüö÷Yüù÷[ü##########\#####3##□##Døaü□ ¨#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########□#########□### More likely to be malignant in men, pts over 60 and pts with a h/o head or neck irradiation No growth x years almost always indicative of benign nodule as is a nodule that appears suddenly (likely a cyst or adenoma hemorrhage) Malignant nodule develops in weeks to months Virtually all pts with thyroid carcinoma are euthyroid as are those with benign nodules#

##########################ÿ□#ÿÿd#########d#########9##ý##□úÊûÖ
Ò##############ÿ□#ÿÿd#########□#########□### Benign adenoma Hemorrhage in the gland Lobulation of normal thyroid tissue Primary malignancy Metastatic malignancy Intrathyroid cyst Toxic adenoma#

#############"#########"####ÿ□#ÿÿd#########d#########9#□ý##ø%üù
&#ÿÿ####ÿÿ#####ÿ□#ÿÿd#########d#########□###For Patients with: Grave□s disease Multinodular goiter Single palpable nodule Central disease (pituitary or hypothalamic) Patients resistant to therapy

```
	Eú#	Fú#	Gú"	Kú(	Mú,	Pú0	Tú
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######1	Aú□	ZúH###$#"#□ Aú□	Aú□	Cú□	Fú□	Iú|
	Kúv	Múo	Púh	Rú`	UúY	VúQ	XúJ	YúB	Yú<	Zú7	Zú4	Yú1	Xú4
	Zú7	Zú<	ZúB	ZúJ	YúQ	XúY	Wú`	Uúh	Rúo	Púv	Nú|	Lú□	Iú□
	Fú□	Dú□	Aú
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######t	Íù□	CúJ###$###t Íùt	Íùu	Óùu	Ùùv	àùw
	çùz	ðù{	÷ù|	ÿù~	#ú□	#ú□	#ú□	#ú□	&ú□	.ú□	5ú□	=ú□	Cú□
	Cú□	=ú□	5ú□	.ú□	&ú□	#ú□	#ú□	#ú~	#ú}	ÿù{	÷ùz	ðùx	çùw
	àùv	Ùùu	Óùu	Íù
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######t	¶ù³	ÏùH###$#"#³ Èù³	Èù²	Ãù¯	Àù«	½ù§
	¹ùi	·ù□	¶ù□	¶ù□	¶ù□	¶ù□	¸ù□	ºù{	½ùx	Àùv	Äùt	Êùt	Ïùu
	Ïùu	Êùv	Åùy	Áù|	¾ù□	ºù□	¸ù□	·ù□	¶ù□	¶ù□	·ùi	¸ù§	ºù«
	½ù¯	Àù±	Äù
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######±	ÇùÏ	£ú□###$#A#Ï £úÏ	£úÏ	□úÏ	□úÏ	□úÎ
	□úÎ	□úÍ	~úÌ	wúÌ	púË	gúÊ	`úÉ	YúÈ	QúÆ	JúÅ	BúÄ	;úÂ	3úÁ
	+úÀ	$ú¿	#ú¾	#ú¼	ú»	#úº	ÿù¹	÷ù·	ðù¶	êùµ	ãù´	Ýù³	×ù²
	Òù²	Ìù±	Çù±	Ìù²	Òù³	×ù´	Ýùµ	ãù¶	êù¶	ðù·	÷ùº	ÿù»	#ú¼
	ú½	#ú¾	#ú¿	$úÁ	+úÂ	3úÃ	;úÄ	BúÅ	JúÆ	QúÈ	YúÉ	`úÊ	gúË
	púÌ	wúÍ	~úÍ	□úÎ	□úÎ	□úÏ	□úÏ	□ú
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######Í	¡úß	«ú(###$###Þ ¡úÞ	¡úÛ	¥úØ	©úÕ	ªúÔ
	«úÓ	«úÐ	©úÏ	¥úÍ	¡úÎ	¦úÐ	©úÒ	«úÔ	«úÖ	«úØ	©úÜ	¦úß	¡ú
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######Ü	Õùñ	£ú□###$#C#ð Õùð	Õùð	Öùð	Ùùð	Üùð
	àùð	äùï	éùï	îùï	ôùï	úùï	#úï	#úï	#úï	#úî	#úî	&úî	.úí
	6úí	>úë	Fúë	Núê	Vúé	^úè	fúè	núç	vúæ	~úä	□úã	□úâ	□úà
	□úÞ	□úÜ	£úÝ	£úß	□úà	□úã	□úä	□úå	□úæ	~úç	vúè	núé	fúê
	^úë	Vúë	Núí	Fúí	>úî	6úî	.úî	&úï	#úï	#úï	#úð	#úð	#úð
	úùð	ôùð	îùð	éùñ	äùñ	àùñ	Üùñ	Ùùñ	Öùñ	Õù
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######î	¹ù4
ÞùH###$#"#4
Þù4
Þù4
Öù3
Ïù0
Éù,
Äù'
¿ù!
¼ù#
ºù#
¹ù
¹ù#
ºù#
¼ùú	¿ùõ	Äùò	Éùï	Ïùî	×ùï	×ùð	Ïùò	Éùö	Äùú	¿ù#
½ù#
»ù
ºù#
ºù#
»ù
½ù'
Àù,
Åù0
Éù3
Ïù4
Öù
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######2
```

```
ý@
ýB    #ýC   #ýD   #ýE   ÿüD   #ý
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######B   Úüt   #ýH###$#"#t Úüs   Úüs   ßür   åüq   éüo
      íül   ðüi   óüe   öüb   ùü^   üüZ   ýüV   ÿüR   #ýM   #ýJ   #ýF   #ýB   #ýB
      #ýF   #ýJ   #ýM   #ýR   #ýV   ÿü[   þü^   üüb   úüe   ÷üj   ôüm   ñüo   íüq
      éüs   åüt   ßü
###&###
#ÿÿÿÿ##########&#####ÿÿÿÿ######r   Ïü□   Üü
```

ûñ #ûï úúí òúé êúå âúá ÚúÝ ÒúÙ ÊúÔ ÁúÑ ºúÏ ±úÍ ©úÌ úÍ
©úÎ ±úÑ ºúÔ ÃúÙ ËúÝ Óúà Úúä âúé êúì òúï úúð #ûñ